

GREAT DEALS

SAVE £££'S

NEW PRODUCTS



OVER 390 STORES NATIONWIDE



OVER 32,000



OVER 300 BRANDS AVAILABLE









YOUR ELECTRICAL EXPERTS For more great deals visit cef.co.uk

18V FUEL™ SDS+ **HAMMER DRILL**

2176-6918

- No load speed: 0-1.400rpm
- Impact energy: 2.5J
- Impact rate: 0-4,900bpm
- Max drilling capacity: [Wood]: 30mm [Metal]: 13mm [Masonry]: 26mm
- Weight with battery: 3.5kg

INCLUDES:

- 2 x 18V 5.0Ah Li-lon Batteries
- 1 x Multi-Volt Charger
- 1 x Dynacase









MIBFLIEL

112

18V BRUSHLESS TWIN PACK

2527-3912

M18BLPD2 BRUSHLESS PERCUSSION DRILL

- Max torque: 85Nm
- No load speed: 0-550 / 0-1,800rpm
- Impact rate: 0-28,800bpm
- Max drilling capacity: [Wood]: 76mm [Metal]: 13mm
- [Masonry]: 16mm • Chuck capacity: Up to 13mm
- Weight with battery: 2.1kg

M18BLID2 BRUSHLESS 1/4" HEX IMPACT DRIVER

- Max torque: 180Nm
- No load speed: 0-1,700 / 0-2,600 / 0-3,400rpm
- Impact rate: 0-1,500 / 0-3,400 / 0-4,200 ipm
- Drive size: 1/4" Hex
- Weight with battery: 1.7kg

INCLUDES:

- 2 x 18V 5.0Ah Li-lon Batteries
- 1 x Mulit-Volt Charger
- 1 x Dynacase





WITH FRE RED LI-ION 5.0Ah BATTERY WITH ANY TOOL ON THIS PAGE













FULL PRODUCT SPECIFICATIONS AVAILABLE AT - CEF.CO.UK/JUSTTHEJOB









PERCUSSION DRILL

2375-7724

- Max torque: 44Nm
- No load speed: 0-450 / 0-1,700rpm
- Impact rate: 0-25,500bpm
- Max drilling capacity: [Wood]: 35mm [Metal]: 13mm [Masonry]: 13mm
- Chuck capacity: Up to 13mm
- Weight with battery: 1.5kg

INCLUDES:

- 2 x 12V 6.0Ah Li-lon Batteries
- 1 x C12 Charger
- 1 x Dynacase







M12 FUEL

1ST JUN - 31ST AUG 2019

112000

18V FUEL™ HOLE HAWG RIGHT ANGLE DRILL

2022-3325

M18CRAD-502X

- Max torque: 25Nm
- No load speed: 0-1,200rpm
- Max drilling capacity: [Wood Auger Bit]: 26mm

[Wood - Holesaw]: 102mm

[Wood - Self-feed Bit]: 51mm

- Chuck capacity: Up to 13mm
- Weight with battery: 4.1kg

BIG HAWG™ SET

- 1 x 35, 44, 51, 57, 68 and 76mm Carbide holesaw
- 1 x Arbor with pilot drill
- 2 x Pilot drills
- 1 x Diamond file
- 1xHexkey











OVER 390



HOW DOES IT WORK?

BUILD A KIT THAT SUITS YOU

> Create your own custom DEWALT kit, personalised to suit your needs. Add as many products as you need to get the job done.

POWER EVERYTHING WITH ONE BATTERY

C E F ELECTRICAL

All the featured tools can be powered using just one battery, but why not grab a spare so there is no down time? Buy as many as you need.

PROTECT YOUR POWER TOOL

We have selected two of the most popular storage solutions from **DEWALT. Pick a solution that** suits your requirements.

FULL PRODUCT SPECIFICATIONS AVAILABLE AT - CEF.CO.UK/JUSTTHEJOB



WITH FREE

SLIM WORK LIGHT WORTH OVER £20 WITH ANY TOOL ON THE NEXT PAGE



SELECT YOUR NAKED POWER TOOL[S]

18V SDS+ HAMMER DRILL 1777-3306

- Power output: 400W
- Impact energy: 2.1J



18V BRUSHLESS COMBI DRILL 2269-6330

- Max torque: 70Nm
- No load speed: 0-550 / 0-2,000rpm



2398-2028

Disc diameter: 125mm

No load speed: 0-9,000rpm

18V ANGLE GRINDER

Power output: 400W

1657-0717

No load speed: 0-3,000spm

18V ORBITAL JIGSAW



18V MULTI-TOOL

1989-3031

- Power output: 300W
- No load speed: 0-20,000rpm





18V BRUSHLESS IMPACT DRIVER 2327-5870

- Max torque: 205Nm
- Impacts rate: 0-3,800ipm



18V RECIPROCATING SAW 1777-3375

- Power output: 560W



18V CIRCULAR SAW 2449-6564

- Power output: 760W
- Blade diameter: 165mm



ADD BATTERIES & CHARGER

18V 4.OAH XR LI-ION BATTERY

2093-1172

- Works with all 18V products
- Charge status indicator





18V 5.OAH XR LI-ION BATTERY 2096-7736

- Works with all 18V products
- Charge status indicator





MULTI-VOLT CHARGER

2216-9485

Charging time per battery: 4.0Ah = 60 mins / 5.0Ah = 70 mins



ADD CASES & STORAGE

TSTAK™ I

1522-4407

- 331mm [H] x 440mm [W] x 185mm [D]
- Adaptable foam inset



TSTAK™ VI

- 301.5mm [H] x 440mm [W] x 332mm [D]
- Removable tray for fixings













2028-7258

- Simple to operate just select and test
- Large full colour display with precise easy to read values
- High accuracy non-trip loop testing
- PFC/PSC test
- Auto sequence RCD testing
- Type 'A' RCD test
- RCD tripping level [Ramp test]
- Selective / time delay RCD tests
- Insulation resistance testing for 250,500 and 1,000V
- Phase rotation / sequence test
- Battery saving 'Auto Sleep' mode with fast pushbutton restart
- Polarity check with full colour indication
- IP54

INCLUDES:

- 1 x 3 Wire Lead Set with Probes and Croc Clips
- 1 x Switched Probe
- 1 x Mains Plug Test Lead
- 1 x Calibration Certificate
- 6 x AA Batteries
- 1x Heavy-Duty Carry Case





1ST JUN - 31ST AUG 2019

ΕΤΗΩ





MULTIFUNCTION TESTER

2185-2499

- On / Off switchable auto-start for RCD and loop test
- Voltage and frequency
- Wiring polarity checker detects broken N wires
- Insulation resistance
- Continuity and resistance
- Measure motor windings with continuity test
- Loop and line resistance
- Automatic RCD test sequence
- PFC/PSC test
- RCD switching time
- RCD tripping level [Ramp test]
- Measures trip time and current for RCD type A and AC in one test
- IP40

INCLUDES:

- 1 x Zero Adaptor
- 1 x Mains Plug Test Lead
- 1 x 3 Wire Lead Set with Probes and Croc Clips
- 1x Padded Carrying and Waist Strap
- 1 x Switched Probe
- 6 x AA Batteries
- 1x Hard Carry Case



ETHOS 5040

MULTIMETER

£50

WORTH OVER









MULTIFUNCTION TESTER

2315-1076

- Enhanced non-trip loop impedance measurement technology
- Built in confidence meter
- Variable RCD testing type AC, A, S B and programmable RCDs
- EN 61010 CAT IV safety rating
- 2 and 3 pole earth spike testing
- Insulation testing at 100V, 250V, 500V and 1kV
- Continuity resistance 15mA or 200mA
- Internal memory and Bluetooth® communications
- Simple colour-coded test selection
- Adjustable buzzer threshold
- True RMS system voltage and frequency measurement
- IP54

INCLUDES:

- 1 x 3 Wire Lead Set with Probes and Croc Clips
- 1 x Switched Probe
- 1 x Mains Plug Test Lead
- 1 x Calibration Certificate
- 1xSoft Pouch











Megger.

MULTIFUNCTION TESTER

2405-5672

- Fast, reliable high current and non-trip testing
- True RMS voltage measurements and phase rotation
- AC, A, F and S type RCD's
- Auto RCD and ramp test at 10, 30, 100, 300, 500 and 1,000mA
- Insulation resistance testing for 50, 100, 250, 500 and 1,000V
- Non-trip earth loop test
- Automatic polarity and wiring check
- 300V CAT IV. 600V CAT III safety rating

INCLUDES:

- 1 x 3 Wire Lead Set with Probes and Croc Clips
- 1 x Switched Probe
- 1 x Mains Plug Test Lead
- 1 x Calibration Certificate
- 6 x Rechargeable AA Batteries
- 1x Charger
- 1x Carry Case



EDITION







EDITION

2 YEAR













TRUE RMS DIGITAL MULTIMETER

2561-2156

- 6,000 Count large easy to read LCD display
- TRMS for accurate results
- Records max/min readings and calculates average readings over time
- High sensitivity phase rotation for motors
- Regular sensitivity phase rotation for supply systems
- Auto LOZ selection to drain ghost voltages
- CX ranges 2,000nF to 10.00mF for start and run motor capacitors
- Beep jack warning against improper lead selection
- VFD V and HZ fundamental readings of most variable frequency drives
- Audible beep and backlit display

INCLUDES:

- Elite Carry Case
- Test Leads
- Phase Rotation Test Leads
- Batteries





1ST JUN - 31ST AUG 2019







1578-8287

- LED indicator for AC/DC
- voltage detection Voltage AC/DC: 12V-690V
- Audible Continuity: $0-400k\Omega$
- Frequency: 0/40 - 400Hz
- Response time: < 0.5s
- Detect voltage even with discharged batteries
- Safety rating: CATIL600V. CATIII 600V
- G538
- EN 61243-3: 2014
- IP54



KLEIN TOOLS

USB DIGITAL METER & TESTER - TYPE A

2467-3768

- 3 to 20V DC, Current: 0.05 to 3A
- Built-in test loads of 0.5A, 1A, 2A and 3A, no external test load required Continuously monitor up
- to 1,000 hours of voltage, current, capacity / charge delivered, energy and resistance [calculated]
- Store and recall up to 10 readings
- Voltage and current overload detection
- Durable cable to allow easy access to hard-to-reach ports
- Built to withstand a 6.6ft [2m] drop
- No batteries needed, powered by the USB port being tested



USB DIGITAL METER TYPE - A & C

2467-3771

- 3 to 20V DC, Current: 0.05 to 3A [USB-A]
- 3 to 20V DC, Current: 0.05 to 5A [USB-C]
- Continuously monitor up to 1,000 hours of voltage, current, capacity/ charge delivered, energy and resistance [calculated]
- Store and recall up to 10 readings
- Voltage and current overload detection
- Durable cables to allow easy access to hard-to-reach ports
- Built to withstand a 6ft [2m] drop
- No batteries needed, powered by the USB port being tested





10













EASIFIT LOCKOUT KIT

2137-9195

- Universal lockout for single and three phase circuit breakers
- Simple thumb-turn togale screw
- No screwdriver required
- Fast to fit

INCLUDES:

- 1x Easifit MCB Lockout
- 1 x Danger Tag
- 1 x 25mm Padlock



12



⊕T.I.5. **DISTRIBUTION BOARD LEAD PACK**

1765-2388

- 3 Wire test lead set with probes and crocodile clips
- Compatible with most multifunction testers



50m EARTH **WANDER LEAD**

⊕T.I.5.

2037-5647

R2 test lead



6 PCE VDE **SCREWDRIVER SET**

2191-0588

- Made from high performance alloy steel
- Dual component, soft grip handle for user comfort
- 1,000V rated
- VDE certified

INCLUDES:

- Slotted: 1 x SL3, SL4 and SL5.5mm
- Pozi: 1 x PZO, PZ1 and PZ2



7 PCE VDE DEXTRO SCREWDRIVER SET

2553-8020

- Dual component, ergonomically shaped handle for maximum comfort and control
- 1.000V rated
- VDE certified

INCLUDES:

- Phillips: 1 x PH0, PH1 and PH2
- Slotted: 1 x SL2.5. SL4. SL5.5 and SL6.5mm
- Mains Tester



5 PCE VDE ERGO™ SCREWDRIVER SET

2292-6385

- Made from high performance alloy steel
- 30% Slimmer blades for greater accessibility
- ERGO™ 3 component handle for maximum user comfort with colour coded symbol on handle end
- 1.000V rated
- VDE certified

INCLUDES:

- Slotted: SL3, SL4 and SL5.5mm
- Pozi: 1 x PZ1 and PZ2



7 PCE VDE ERGO™ **SCREWDRIVER SET**

0103-1074

SLIM

- Made from high performance alloy steel
- ERGO™3 component handle for maximum user comfort with colour coded symbol on handle end
- 1,000V rated
- VDE certified

INCLUDES:

- Slotted: 1 x SL2.5, SL3, SL4 and SL5.5mm
- Pozi: 1 x PZO, PZ2 and PZ3



BAHCO











VDE HIGH LEVERAGE SIDE CUTTERS

- 33% slimmer than previous model for greater accessibility in tight areas
- Optimised cutting jaw geometry for increased cutting performance
- Integral thumb guard
- Cutting capacities:

180mm - hard: 2.2mm / medium: 3.8mm / soft: >6mm 200mm - hard: 2.5mm / medium: 4.2mm / soft: >6mm



CODE	SIZE [mm]	PRICE
2177-9575	180	£29.95
2177-9578	200	£33.95

SIZE [M

180

220

VDE PLASTIC PLIERS

Up to AC 1,000V and DC 1,500V

Spark-free Excellent for use

in chemically

aggressive

environments

Fully insulating

short circuit

to reduce risk of

For meter assembly

Class C; range of

use up to -40°C

Plastic material.

 1,000V rated VDE certified

CODE

14

1712-0545

1712-0548

and meter blocking

fibreglass reinforced

Prices are subject to VAT.

1712-0545

£14.50

£14.50

160mm WIRE ROPE CUTTER

2398-3681

- Up to 30 % less physical effort compared to wire rope cutters of the same length
- Double-mounted box joint design for high level of stability Cutting capacity: Wire rope: 4mm [Ø]
- Copper cable: 6mm [Ø] Cutting edges induction hardened to 64 HRC
- Spring loaded design for ease of use Secured by locking device



8"/200mm HEAVY-DUTY CABLE CUTTERS


2152-2043

- with mirror polished head
- PVC dipped handles



BAHCO





- Ideal for the cutting of 25mm tails



RATCHET CRIMPING **PLIERS**

0043-6846

- hardened steel jaws guaranteed for up to 30,000 cycles
- optimum connection safety
- Designed for the safe and secure crimping of boot lace ferrules to wire sized between 0.25 and 6mm²
- repeatable results



PLIERS WRENCH

2393-3563

- Parallel jaws give a more solid grip which allows flexible adjustment up to 52mm capacity
- The ratchet type principle allows quick and easy tightening and release of all bolted connections
- Lever transmission greater than 10:1 for strong gripping power
- Scaling for presetting the jaw width before applying to the workpiece
- Smooth jaws for damage free installation of plated fittings
- Zero backlash iaw pressure prevents damage to edges of sensitive components
- Pushbutton to select 19 adjustment positions



320mm HEAVY-DUTY RATCHET CABLE CUTTERS

2194-4785

- Cutting jaws, forged and hardened for an extended life
- Rounded blade design minimises cable distortion
- Cutting capacity: Copper and aluminium: up to 52mm [Ø] SWA: up to 36mm [Ø]
- Locking mechanism keeps handles closed for easy storage



24 / 30" EXTENDABLE BOLT CUTTERS

- Forged steel blades for a strong and durable cutting edge
- POWERMOVE™ handles extend for hard to reach cuts
- Comfort grip handles will not peel or slide off













26 PCE RATCHET **SOCKET & BIT SET**

2152-3756

INCLUDES:

- Slotted: 1 x SL4. SL5 and SL6mm
- Phillips: 1 x PH1, PH2 and PH3
- Pozi: 1 x PZ1, PZ2 and PZ3
- Torx: 1 x T10, T15, T20, T25 and T30
- Hex: 1 x 3, 4, 5 and 6mm
- Sockets: 1 x 6, 7, 8, 10 and 13mm
- 1 x Bit Holder ■ 1 x Bit Ratchet
- 1 x ½" Square x ½" Hex Socket Adaptor
- 1 x Storage Case



£17.95

31 PCE BIT SET

2349-4378

INCLUDES:

- Slotted: 1 x SL4.5 and SL5.5mm
- Phillips: 1x PH1, 3x PH2, 1x PH3 and 2x PH2G
- Pozi: 1 x PZ1, 3 x PZ2 and 1 x PZ3
- Torx: 1 x T10, 3 x T15 and T20, 2 x T25, 1 x T27 and T30
- Hex: 1 x 3, 4, 5 and 6mm
- 1 x ½" Square x ½" Hex Socket Adaptor
- 1 x ¼" Hex Quick Release Adaptor
- 1x Plastic Case



1ST JUN - 31ST AUG 2019

BAHCO

BAHCO

1/4" AND 1/2" PCE SOCKET SET

2152-3246

- High performance alloy steel
- Corrosion and rust resistance
- All sockets have 12 point design that gives good grip and added torque

INCLUDES:

- 12 x 1/4" Bi-Hex Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13mm
- 10 x 1/4" Bi-Hex Deep Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 and 13mm
- 13 x 1/2" Bi-Hex Sockets: 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30 and 32mm
- 3 x 5/16" Torx® Bits: T45, T50 and T55
- 1 x 1/4" Hex Magnetic Bit Adaptor
- 2 x 1/4" Extension Bars 50mm [2"] & 100mm [4"]
- 1 x 1/4" Sliding T-Bar 100mm [4"]
- 1 x 1/4" Universal Joint
- 1 x 1/4" Spinner Handle With 2-Component Handle
- 1 x 1/4" x 1/4" Bit Holder
- 2 x 1/2" Extension Bars 125mm [5"] & 250mm [10"]
- 1 x 1/2" Universal Joint
- 1 x 1/2" Spark Plug Socket 21mm [13/16"]
- 1 x 1/2" Sliding T-Bar 100mm [4"]
- 1 x 1/2" x 5/16" Bit Holder
- 3 x Long-Hex Keys 1.5, 2, 2.5mm
- 1 x 1/2" Ratchet Handle 72 Tooth/5°, Quick Release, Slim Style Head
- 1 x 1/4" Ratchet Handle 72 Tooth/5°, Quick Release, Slim Style Head
- Compact HDPE Case



28mm BI-METAL STANDARD FLUSH **CUT UNIVERSAL SAW BLADES**

2508-7069

- Broad range of applications with HSS hardened teeth
- Saws woods, plastics, sheet metal, copper or aluminium pipes and profiles Deep plunge cutting in wood, abrasive
- wooden materials and plastics Cuts non-ferrous pipes and profiles
- with smaller dimensions
- Cuts non-hardened nails, screws and steel profiles with smaller dimensions



5 PCE MULTITOOL SAW BLADE SET

2508-7072

 Saw woods, plastics, sheet metal, copper or aluminium pipes and profiles

INCLUDES:

- 1x 28mm Bi-Metal Standard Flush Cut Universal Saw Blade
- 1 x 32mm Bi-Metal Precision Flush Cut Wood Saw Blade
- 1 x 34mm CRV Standard Flush Cut Wood Saw Blade
- 1 x 68mm CRV Standard Flush Cut Wood Saw Blade
- 1 x 87mm CRV Radial Saw Blade



ADJUSTABLE WRENCH

2152-3144

- High performance allov steel
- Black finish, precision hardened and anti-corrosion treated
- Improved access in confined spaces with the slim 15° angled jaws
- Jaw capacity: 13mm
- Length: 110mm



BAHCO

VDE T-HANDLE HEX KEY - 4_{MM}

2553-8005

- Tempered and hardened steel for strength and durability
- Ergonomic handle
- 1.000V rated
- VDE certified





3 PCE REVERSIBLE RATCHET SPANNER SET

2152-3225

- High performance alloy steel with chrome plated matt finish
- 4 Sizes in 1 spanner
- 72 Teeth / 5° action
- 12 Point dynamic drive profile INCLUDES:
- 1 x 8-11mm [8, 9, 10 and 11mm]
- **1** x 12-15mm [12, 13, 14 and 15mm]
- 1 x 16-19mm [16, 17, 18 and 19mm]
- 1x Carrying Pouch with Belt Loop





16oz CLAW **HAMMER**

- Orange fibreglass handle for easy tool visibility
- Comfortable rubber hand grip















Hereby

48 PCE SHOCKWAVE DRILL SCREWDRIVER BIT SET

2153-0758

- Designed for use with impact drivers
- Reduces stress at the tip resulting in less tip breakages providing up to 30 x longer life **INCLUDES:**
- Slotted: 1 x SL4.5, SL5.5 and SL6.5mm Pozi: 3 x PZ1,
- 5 x PZ2, 1 x PZ3 Phillips: 3 x PH1 and PH2.1 x PH3
- Torx: 4 x TX10 and TX15, 4 x TX20 and TX25, 4 x TX30 and 1 x TX40
- Hex: 1 x 3 and 6mm, 2 x 4 and 5mm
- 1 x Magnetic Bit Holder
- 1 x Storage Case

SHOCKWAVE STEP **DRILL BIT**

- 4 30mm drilling capacity
- Designed for use in impact dri
- ¼" Hex shank and optimised SHOCKZONE™ absorbs peak
- Dual spiral flute optimised for impact drivers
- Titanium aluminium nitride [TiAlN] coating for 5 x longer li
- Rapid strike tip for fast start a accurate holes
- Laser etching for easy stop / size identification

P	
ivers	
torque	
for '	
life	
and	
PRICE	FDUM

PRICE	ED
£27.95	LK
£31.95	
£44.95	F
bit t- VAT	

Prices are subject to

10 PCE REDHEX METAL DRILL BIT SET

2262-0940

- HSS ground and TIN coated
- 135° tip angle reduces tip walking allowing precise start
- Impact rated drill bits with 1/4" hex shank, optimised for impact drivers INCLUDES:

DESCRIPTION

- Drill Bits: 1 x 3, 3.5, 4, 4.5, 5, 6, 7, 8, 9 and 10mm
- 1 x Plastic storage cassette



32 PCE SHOCKWAVE **BIT SET**

SIZE [MM]

4 - 12

4 - 20

4 - 30

2407-9942

CODE

2527-5124

2527-5130

2527-5133

- Designed for use with impact drivers
- Reduces stress at the tip resulting in less tip breakages providing up to 30 x longer life

INCLUDES:

- Pozi: 1 x PZ1, 2 x PZ2 and 1 x PZ3
- Phillips: 1 x PH1, 2 x PH2 and 1 x PH3
- Torx: 2 x T10 and T15, 3 x T20, 2 x T25 and T30 and 1 x T40
- Tamper-Proof Torx: 1 x TX07, TX08, TX09, TX10,



Prices are subject to VAT. armed LDX STAINLESS CARBIDE

£8.95

£11.95

£13.95

armed

A STATE OF THE PARTY OF THE PAR

PTC PORCELAIN

TILE DRILL BITS

Diamond ground

tip geometry 'bites'

into tiles, eliminating

wander and slip at

the start of drilling

Self-renewing tip

ensures that PTC

bits can be used in

softer tiles when

life is exhausted in

P100 carbide and tip

geometry ensures

PTC bits penetrate

and drill the hardest

porcelain tiles

Combination of

porcelain tiles

CODE

0278-7535

0278-7541

0278-7544

TIPPED HOLESAWS

SIZE [mi

20

25

32

- Long lasting drills up to 350 holes into stainless steel
- Tungsten carbide teeth provide excellent wear and heat resistance LDX can be used in mild steel, stainless steel, cast iron, aluminium and copper
- Maximum cutting depth: 5mm
- Ejection spring and safety stop collar
- One piece construction

NAIL PROOF

Robust cutting tooth

extreme resistance

to hard objects such

increases durability

in tough materials

profile provides

High speed steel

cutting head

for longer life

■ 120mm compact

length is perfect

for joist drilling

CODE

2196-3076

2196-3088

2196-3091

as nails

WOODBEAVER



CODE	SIZE [mm]	PRICE
0278-9437	20	£21.50
0278-9443	25	£21.50
0278-9446	32	£29.95
	D=	oos ore subject to VAT

SDS⁺ DRILL BITS

Cross head design reduces the chances of snagging on rebar in concrete

- Produces truer, rounder holes which can result in an improved performance of sleeve anchors
- High quality tungsten carbide tip for extended life in hard masonry



armed

CODE	SIZE [mm]	PRICE
2528-3749	8	£4.75
2528-3752	10	£4.95
2528-3755	12	£5.25

Prices are subject to VAT.

ENGEX

10 PCE HI-COBALT **HOLESAW KIT**

Prices are subject to VAT.

£19.50

£21.50

£22.50

2452-8919

INCLUDES:

SIZE [MM

6

8

- Holesaws: 1 x 16, 20, 25, 32, 40, 51 and 64mm
- Arbors: 1 x 14 30mm. 1 x 32 203mm
- 1x Carry Case





18











25FT STEEL FISH TAPE

KLEIN

F4P

1906-0330

- Tempered, 6.3mm wide high-quality tape keeps its stability as it glides between surfaces
- 7.62m / 25' length with no-snag tip, is perfect for short wire runs associated with light commercial and residential installations
- Polypropylene case and handle
- Laser etched markings
- Unique sloped handle



3 PCE PACKOUT™STORAGE SET

2369-6758

INCLUDES:

PACKOUT™ ROLLING TROLLEY TOOLBOX

- Weight capacity: 113kg [max]
- 228mm [Ø] All-terrain wheels
- Industrial grade extension handle
- Metal reinforced locking point
- Interior organiser tray
- Dimensions: 480mm[H] x 560mm[L] x 410mm[D]

PACKOUT™ LARGE TOOLBOX

- Metal reinforced top handle for easier carrying
- Metal reinforced locking point
- Impact resistant
- Interior organiser trays
- IP65

IP65

Dimensions: 290mm[H] x 560mm[L] x 410mm[D]

PACKOUT™ TOOLBOX

- Metal reinforced locking point
- Impact resistant
- Interior organiser travs
- IP65
- Dimensions: 170mm[H] x 560mm[L] x 410mm[D]





CONDUIT PIPE BENDER

0603-2098

TX20 and TX25

- Stand mounted machine for bending conduit sizes: 20, 25 and 32mm
- Adjustable former for accurate bends every time
- Can produce complex multiple bends quickly, without the need for time consuming checking and offering up
- Full range of spare parts available

INCLUDES:

- 1 x Standard Handle
- 1 x Arm Extension Tube
- 1 x Conduit Vice
- 3 x Formers: 20, 25 and 32mm



PORTABLE CABLE **CARRIER & DISPENSER**

0585-4966

- Lightweight, robust steel construction
- Folds flat for easy storage and sets up in seconds
- Holds multiple reels
- Complete with five cable clips and rubber stoppers
- Carrying capacity: 45kg [max]



PACKOUT™ DUFFEL BAG

2566-1245

- Made from 1680D ballistic material for iobsite durability Large storage capacity for
- larger tools Cushioned shoulder strap
- with top and side handles for flexible carry Dimensions:
- 350mm[H] x 500mm[L] x 310mm[D]

PACKOUT™ SLIM ORGANISER

2528-2747

- Constructed with impact resistant polymers for jobsite durability
- Interior features: 1 x Large bin 4 x Small bins
- No-travel bin seals to prevent the bins contents from migrating between bins during transportation
- IP65 rated
- Dimensions: 64mm[H] x 416mm[L] x 247[D]

PACKOUT™ BACKPACK

2566-1251

- Made from 1680D ballistic material for jobsite durability
- Number of pockets: 48
- Hardshell protected instrument pocket
- Impact resistant polymer base protects contents from water and dirt
- Extra back padding, chest strap and attachment strap
- Dimensions: 400mm[H] x 400mm[L] x 300mm[D]



PACKOUT™ JOBSITE COOLER

- Impact resistant polymer base protects contents from water and dirt
- Extra insulation keeps contents cold for up to 24 hours
- Food grade leak proof liner
- Shoulder strap for easy transport
- Dimensions: $400mm[H] \times 400mm[L] \times 300mm[D]$













VAN VAULT 2 STORAGE BOX

2562-1090

- 3mm Steel construction with fully phosphate anti-corrosion protection
- Reinforcing plates and cross bracing protects the lid from being prised open
- Strong gas strut support arm ensures a soft open and closed lid action
- 70mm Anti-pick, anti-drill and anti-rust stainless steel disc lock
- 4 Reinforced fixing points for easy installation to the vehicle floor
- Drop down recessed handles with rubber pads provide maximum comfort when lifting
- Size: External: 478mm[H] x 828mm[L] x 430mm[D]
 Internal: 370mm[H] x 780mm[L] x 415mm[D] Open: 920mm[H]
- Weight: 48kg



NEW

£174.95





- 1680D ballistic weave for durability
- Large zip up pocket for securing small parts and tools
- 20 pockets for more tool storage
- Fully moulded bottom for stability and protection from the elements
- Dimensions: 432mm[H] x 222mm[L] x 222mm[D]









ENGEX

CODE	TREADS	CLOSED HEIGHT [MM]	OPEN HEIGHT [MM]	WEIGHT [kg]	PRICE
0413-1247	4	1,174	1,050	6.25	£56.95
0413-1253	5	1,474	1,330	7.55	£62.95
0413-1259	6	1,773	1,610	8.50	£69.95
0413-1262	8	2,373	2,161	11.35	£91.95
0554-0167	10	2,870	2,700	15.05	£119.95

ENGEX

Prices are subject to VAT.

LADDER SAFETY TAG KIT

2150-1061

- Helps workers to identify if ladders are fit for purpose before use
- Can be used as part of a daily inspection and monitoring procedure to record and manage ladder inspections
- Size: 181mm[L] x 50mm[W]



SCAFFOLD TAG KIT

2150-1094

Helps to prevent accidents on site With current legislation requiring regular inspections, the tags enable scaffolders and construction site managers to easily document and monitor records in one place

Size: 180mm[L] x 75mm[W]





22









4 WAY JUNCTION BOX

bond it

SELF-FUSING RESCUE TAPE

- A self-fusing, silicone repair product which resists fuels, oil, acids, solvents, salt water, road salt and UV rays
- Pressure resistant up to 8 bar
- Insulates 8,000V
- Waterproof airtight and can be applied underwater
- Operating temperature: -50°C to +260°C
- Length: 25.4m



2449-3312 Gel pre-filled junction box complete with connection block and glands For 5 core cables up to 16mm [Ø] Ready to use, it can be installed in all environmental conditions

FLOOR CABLE COVER 2304-3430

IP68

- Protect up to 3 x 8mm diameter cables
- Ideal for areas with regular foot traffic
- Supplied with two extendible rods
- Size: 83mm[W] x 1.8m[L]



HEAVY-DUTY RUBBLE SACKS

2081-1088

- Double strength, heavy-duty rubble sacks
- Suitable for rubble, bricks, plaster, sand and gravel etc.
- Size: 21 x 32'
- Pack of 6









2081-1067

■ 100% absorbent cotton twill dust sheets

Size: 3.6m x 2.7m





HELMET HEADLIGHT

2235-9523

- CREE LED
- Lumen output: 200
- 7 Light settings
- Beam range: 90m
- Run time: 5 hours
- 45° Rotational head
- Adjustable non-slip silicone head band
- IPX6 Water resistant



LED RECHARGEABLE **HEADLIGHT**

2429-7766

- CREE LED
- Lumen output: 275
- 3 Light settings
- Beam range: 95m
- Run time: 6 ½ -170 hours
- Red LED's for night vision -On or flashing

RECHARGEABLE LED

45° Rotational head

SITE LIGHT

■ Power output: 30W

Samsung SMD LEDs

Lumen output: 3,000

Run time: 3 - 6 hours

increase run time

Strong magnetic feet

50% Dimmable function to

Removable battery pack can

Tough polycarbonate housing

be used as a USB power bank

Beam range: 25m

2171-4724

■ IPX5 Water resistant

INCLUDES:

■ 1 x 3MTM VHB Adhesive Helmet Mount

■ 1x Charging Cable

UNILITE **EX7 ATEX LED TORCH**

ZONE 0 / 20 2508-7063

- Lumen output: 200
- 2 Light settings
- Beam range: 120m
- Run time: 16 45hrs
- Advanced focus system
- Suitable for use in EX zone 0/20
- The magnetic switch is easy to handle with gloves and
- protective equipment Intelligent clip lets you mount the torch to your belt or pocket for easy
- hands free use IP66 dust tight and water resistant



UNILITE

LED LENSER'









TRADE ACTIVE POLO

- Lightweight, quick drying and easy to care for
- Mesh panels for improved breathability ensuring lasting comfort throughout the day
- Slimmer fitting with raglan sleeve design for comfort and freedom of movement
- Zipped chest pocket and reflective detailing
- 100% polyester, 220gsm

CODE	SIZE
2562-0988	Small
2369-4019	Medium
2369-4022	Large
2369-4025	X Large
2419-4704	XX Large



TRADE FLEX HOSTER SHORTS - GRAPHITE

- Flexible slim fit with stretch panels for freedom of movement
- Lightweight and durable ripstop fabric for all day comfort and performance with triple stitched seams for long lasting durability
- Easy access holster pockets, cargo pocket and mobile phone pocket
- Tool loops and D-ring for tool and accessory storage
- 65% polyester, 35% cotton ripstop

I	CODE	SIZE [W]	
	2562-1057	30"	
	2562-1060	32"	
	2562-1063	34"	
	2562-1066	36"	
	2562-1069	38"	
	2562-1072	40"	



SAFETY SPECTACLES 2295-2221

- Impact resistant polycarbonate lens
- Wide field of vision Adjustable temple
- length UV protection
- Complies to EN 166



DUST MASKS

2295-2179

- PP non-woven
- Protection factor FFP1
- Elasticated head straps
- CE FFP1 certified
- Pack of 5



INKZALL™ MARKER

1917-9733

- Suitable for writing on dusty, wet or oily surfaces
- Clog resistant
- Ink colour: Black
- Tip: 1mm



TRADESMAN PRO™ **MAGNETIC WRISTBAND**

KLEIN (

2467-3762

- Wrap around your wrist, belt or tool bag and keep small parts easily within reach
- Strong rare earth magnets keep small parts close at hand
- Contoured and breathable mesh interior for comfort
- Secure adjustable hook and loop closure
- Made of durable 1680D ballistic material



CUT RESISTANT WORK GLOVES



- Grey PU dipped palm
- 13 Gauges grey HPPE and glass fibre knitted liner
- Cut Resistance: Level 5



CODE	SIZE
2295-2170	L
2295-2173	XL

















CEF OFFER YOU ALL OF THIS AND MORE...



OVER 390 STORES NATIONWIDE



OVER 32,000 ITEMS IN STOCK ONLINE



OVER 300 BRANDS AVAILABLE



HELP WITH YOUR WEEE RECYCLING



FREE TEA, COFFEE AND WI-FI



OPTIONS TO SUIT YOU



SUPPORT 7:30 AM TO 8:00PM MON – FRI







YOUR ELECTRICAL EXPERTS For more great deals visit cef.co.uk