

# 18V BRUSHLESS COMBI HAMMER DRILL DRIVER



PERFORMANCE 460W of power and 70 Nm of torque



XR LI-ION BATTERIES
Extended runtime and optimised power



XR BRUSHLESS TECHNOLOGY
Max drilling capacity in wood,
metal and masonry

DEWALT.

ONLY £179.95 +VAT

**GREAT DEALS** 

SAVE £££'S

**NEW PRODUCTS** 



OVER 390 STORES NATIONWIDE



OVER 35,000 ITEMS IN STOCK ONLINE



OVER 300 BRANDS









YOUR ELECTRICAL EXPERTS 391 STORES | CEF.CO.UK | TRADE CATALOGUE



# SDS+ HAMMER DRILL

#### 3 MODE SDS+ HAMMER DRILL

- Power output: 1,000W
- No load speed: 0 820 rpm
- Impact energy: 4.2 J
- Impact rate: 4,700 ipm
- Max drilling capacity: [Wood]: 32 mm
   [Metal]: 13 mm

[Metal]: 13 mm [Masonry]: 32 mm

Weight: 4.4 kg

#### **INCLUDES:**

- Quick-change chuck
- Gloves
- Safety glasses
- 15 x Drill bits
- Chisel
- TSTAK Case

CODE	VOLTAGE	PRICE
2606-9095	240V	£349.95
2606-9098	110V	£349.95



WORTH OVER £45

# 18V BRUSHLESS COMBI DRILL AND ANGLE GRINDER TWIN PACK

## **DEWALT**

#### 2606-9092

#### DCD796 18V BRUSHLESS COMBI DRILL

- Max torque: 70 Nm
- Power output: 460W
- No load speed: 0 550 / 0 2,000 rpm
- Impact rate: 0 9,350 / 0 34,000 ipm
- Max drilling capacity: [Wood]: 40 mm [Metal]: 13 mm

[Masonry]: 13 mm

- Chuck capacity: Up to 13 mm
- Weight with battery: 1.8 kg

#### DCG412 18V ANGLE GRINDER

- Power output: 405W
- No load speed: 0 7,000 rpm
- Max disc diameter: 125 mm
- Spindle thread: M14
- Vibration: 6.0 m/s²
- Weight with battery: 2.2 kg

#### INCLUDES:

- 2 x Batteries: 18V 5.0Ah Li-Ion
- Charger
- TSTAK Case





#### **PLUS**

CE FLAT WOOD BIT SET 44 PCE IMPACT BIT SET WORTH OVER £50







DEWALT



DEWALT

# **54V FLEXVOLT RIGHT ANGLE** CORE DRILL - BODY ONL

#### 2606-9080

#### 54V FLEXVOLT RIGHT ANGLE CORE DRILL

- Max torque: 269 Nm
- No load speed: 0 1,320 rpm
- Max drilling capacity: [Wood]: 158 mm [Metal]: 13 mm
- Chuck capacity: Up to 13 mm
- Weight with battery: 8 kg

#### DIAMOND CORE KIT:

- 102 mm x 150 mm Dry core
- 152 mm x 150 mm Dry core
- Pilot drill bit
- Drift key
- SDS+ Adaptor
- Hex adaptor
- 200 mm Extension

# PLUS





# **54V FLEXVOLT WALL CHASER**

#### 2606-9083

#### DCG200T2 54V FLEXVOLT WALL CHASER

- No load speed: 0 9.000 rpm
- Bore size: 22 mm
- Blade diameter: 125 mm
- Blade thickness: 3 mm
- Spindle diameter: 14 mm
- Cutting depth: 32 mm Cutting width: 35 mm
- Weight with battery: 3.7 kg

#### INCLUDES:

- Chisel
- Hex blade wrench
- Spacers: 3, 6, 9, and 12 mmTSTAK Case
- 2 x Batteries: 18V 6,0Ah XR FLEXVOLT



Charger

• 2 x Premium diamond blades













# **18V ELECTRICIAN'S STAPLER**

#### DEWALT

#### 2606-9089

#### DCN701D2 18V ELECTRICIAN'S STAPLER

- Automatically adjusts based on cable thickness and staple
- Bright LED for enhanced visibility
- Dry fire lockout
- Shots per charge: 1,200
- Magazine capacity: 35 Staples



# INCLUDES:

- 2 x Batteries: 18V 2.0Ah
- Belt hook
- Charger
- TSTAK Box

# **PLUS**

1x PACK OF 540 1" INSULATED **CABLE STAPLES** 



DEWALT

# 54V FLEXVOLT M-CLASS DUST EXTRACTOR



#### 2606-9086

#### DCV586MT2 54V FLEXVOLT VAC

- M-Class compliant suitable for use on construction sites
- Max capacity: 11 Ltr
- 3 mm Air-lock adaptor
- 2.000W Brushless motor TSTAK Compatible



#### INCLUDES:

- 2 x Batteries: 18V 6.0Ah XR FLEXVOLT
- Charger
- 2.5 m x 32 mm Extraction hose
- Remote key fob
- Fleece dust bag
- Internal storage



DEWALT

# 16 PCE SCREWDRIVER **BIT SET**

2606-9107



#### **SET CONTENTS:**

- 15 x 25 mm PZ2 extreme impact torsion bits
- ¼" Hex bit holder
- Tic-Tac case



# **32 PCE SCREWDRIVER BIT SET**

2606-9101



#### **SET CONTENTS:**

- Phillips: PH1, 2 x PH2 and 1 x PH3
- Pozi: PZ1, PZ2 and PZ3
- Slotted: SL3. SL4. SL5 and SL6.5
- Hex: H3. H4. H5 and H6
- Torx: T10, T15, T20, T25, T27, T30 and T40
- Torx security: T10, T15, T20, T25, T27, T30 and T40
- Bit holder
- Socket adaptor
- Case





# M18™ FUEL™ PERCUSSION DRILL & SDS+ HAMMER DRILL

#### 2606-9146

#### M18FPD2 FUEL™ COMBI DRILL

- Max torque: 135 Nm
- No load speed: 0 550 / 0 2,000 rpm
- Impact rate: 0 32,000 bpm
- Max drilling capacity: [Wood]: 89 mm

[Metal]: 16 mm [Masonry]: 16 mm

Weight with battery: 2.2 kg

#### M18CHX FUEL™ SDS+HAMMER DRILL

- Fixtec<sup>™</sup> keyless chuck system
- No load speed: 0 1,400 rpm
- Impact energy: 2.5 J
- Impact rate: 0 5,100 bpm
- Max drilling capacity: [Wood]: 30 mm

[Metal]: 13 mm [Masonry]: 26 mm

Weight with battery: 3.5 kg

#### INCLUDES:

Fuel<sup>™</sup> wheel bag





ONLY

## M18™ ANGLE GRINDER

#### 1633-2541

#### HD18AG M18 ANGLE GRINDER

- Disc diameter: 115 mm
- No load speed: 0 9,000 rpm
- Spindle thread: M14
- Vibration: [Grinding]: 7.3 m/s² [Sanding]: 6.1 m/s2
- Weight with battery: 2.4 kg

#### INCLUDES:

- 2 x Batteries: 18V 4.0Ah
- Multi-volt fast charger
- Blow-moulded case

#### 2 x Batteries: 18V 5.0Ah Multi-volt fast charger





MISFUEL

## M18™ FUEL™ RIGHT ANGLE DRILL – BODY ONLY & BIG HAWG™

#### 2022-3325

#### M18CRAD - 0

- Max torque: 25 Nm
- No load speed: 0 1,200 rpm
- Max drilling capacity [Wood with self feed bit]: 51 mm
- Max drilling capacity [Wood with holesaw]: 102 mm
- Max drilling capacity [Wood with auger bit]: 26 mm
- Max drilling capacity [Steel]: 8 mm
- Chuck capacity: up to 13 mm

#### BIG HAWG™ HOLESAW SET

- 6 x Holesaws: 35, 44, 51, 57, 68 and 76 mm[Ø]
- Arbor with pilot drill
- Diamond file
- 2 x Pilot drills
- Allen key













# 4 PCE M12™ FUEL™ KIT

#### 2606-9152

#### ■ M12CH FUEL™ SUB COMPACT SDS+ HAMMER DRILL

- No load speed: 0 900 rpm
- Impact energy: 1,1 J
- Impact rate: 0 6,575 ipm
- Max drilling capacity: [Wood]: 13 mm

[Metal]: 10 mm

[Masonry]: 13 mm

• Weight with battery: 1.9 kg

#### 2 M12FPD FUEL™ SUB COMPACT PERCUSSION DRILL

- Max torque: 44 Nm
- No load speed: 0 450 / 0 1,700 rpm
- Impact rate: 0 25,500 ipm
- Max drilling capacity: [Wood]: 35 mm

[Metal]: 13 mm

[Masonry]: 13 mm

Weight with battery: 1.5 kg

#### 3 M12FID FUEL™ SUB COMPACT ¼" HEX IMPACT DRIVER

- Max torque: 147 Nm
- No load speed: 0 1,300 / 0 2,400 / 0 3,300 rpm
- Impact rate: 0 4,000 ipm
- Drive size: ¼" Hex
- Weight with battery: 1.1 kg



#### M12FCOT FUEL™ CUT-OFF SAW

- No load speed: 0 20,000 rpm
- Bore size: 10 mm
- Disc diameter: 76 mm
- Cutting depth: 16.3 mm
- Weight with battery: 1.1 kg



# 4 PCE M18™ FUEL™ KIT

#### 2606-9149

#### M18FPD2 FUEL™ COMBI DRILL

- Max torque: 135 Nm
- No load speed: 0 550 / 0 2,000 rpm
- Impact rate: 0 32,000 ipm
- Max drilling capacity: [Wood]: 89 mm

[Metal]: 16 mm

[Masonry: 16 mm

Weight with battery: 2.2 kg

#### 2 M18FID FUEL™ IMPACT DRIVER

- Max torque: 119 / 176 / 226 Nm
- No load speed: 0 1,900 / 0 2,800 / 0 3,600 rpm
- Impact rate: 0 1,200 / 0 3,400 / 0 4,300 ipm
- Drive size: 1/4" Hex
- Weight with battery: 2.2 kg

#### 3 M18FJS FUEL™ TOP HANDLE JIGSAW

- No load stroke rate: 0 3,500 spm
- Stroke length: 25 mm
- Bevel capacity: 45°
- Max cutting capacity: [Wood]: 135 mm[Metal]: 10 mm
- Weight with battery: 2.9 kg

## CAG115XPDB FUEL™ ANGLE GRINDER

- Disc diameter: 115 mm
- No load speed: 0 8,500 rpm
- Spindle thread: M14

1

Vibration: [Grinding]: 2.11 m/s²

[Sanding]: 1,83 m/s<sup>2</sup>

Weight with battery: 2.7 kg





- 2 x Batteries: 18V5.0Ah
- 2 x Multi-volt charger
- 2 x Packout<sup>™</sup> compatible case





# 5.0Ah LI BATTE

# 5.0Ah LI-ION INCLUDED WITH ANY BODY ONLY BATTERY INCLUDED TOOL ON THIS PAGE

# **18V ANGLE GRINDER**

#### 1173-4198

- Disc diameter: 115 mm
- No load speed: 0 - 9,000 rpm



# 18V FUEL™ SURGE™ IMPACT

## DRIVER 1/4"

#### 2262-1234

- Max torque: 50 Nm
- Impact rate: 0 1,800 / 0 - 2,900 / 0 - 4,000 ipm





ONLY .185.00

#### 18V SDS+HAMMER DRILL

#### 1235-2567

- Impact energy: 2.4J
- Impact rate: 0 - 4,200 bpm





ONLY £235.00

#### 18V FUEL™ HACKZALL™

#### 2375-7802

- No load speed: 0 - 3,000 rpm
- Stroke length: 22 mm



#### 18V FUEL™DIE GRINDER

#### 2262-1246

2262-1291

- Collet capacity: 6 / 8 mm
- Max grinding diameter: 50°
- No load speed: 0 27,000 rpm



# 18V FUEL™IMPACT WRENCH ½"

# WRENCH 1/2"



120 / 220 / 300 Nm Impact rate: 0 - 1,300 /

0 - 2,100 / 0 - 2,550 / 0 - 3,200 ipm



# **18V GREASE GUN**

#### 1633-2580

- Pressure: 562 bar
- Sound power level: 84 dB
- Cartridge capacity: 400 ml



# **FUEL™ WHEELED BAG**



Dimensions: 540 mm[L]x 360 mm[W] x 290 mm[D]





# **UNIVERSAL DYNACASE BOX**







Dimensions: 475 mm[L]x 358 mm[W] x 135 mm[D]











INCLUDES:

Switched probe

Mains plug test lead

 Calibration certificate • 6 x Batteries: AA

Heavy-duty carry case

3 Wire lead set with probes and croc clips

# MULTIFUNCTION TESTER – ETHOS 8400

# ΕΤΗΩ

#### 2028-7258

- Simple to operate just select and test
- Large full colour display with precise easy to read values
- · High accuracy non-trip loop testing
- PFC / PSC test
- Auto sequence RCD testing
- Type 'A' & 'AC' RCD test
- RCD 'Ramp' test
- Selective / time delay RCD tests
- Insulation resistance testing for 250, 500 and 1,000V
- Phase rotation / sequence test
- Battery saving 'Auto Sleep' mode with fast push button restart
- Polarity check with full colour indication
- IP54





ETHΩS



ONLY

# **MULTIFUNCTION TESTER - FLUKE 1662**

#### 2185-2499

• On / Off switchable auto-start for RCD and loop test

- Voltage and frequency
- Wiring polarity checker detects broken N wires
- Insulation resistance
- Continuity and resistance
- Measure motor windings with continuity test
- Loop and line resistance
- Automatic RCD test sequence
- Prospective earth fault current
- Prospective short circuit current
- RCD switching time
- RCD tripping level [ramp test]
- Measures trip time and current for RCD type A and AC in one test
- IP40

#### INCLUDES:

- Zero adaptor
- Mains plug test lead
- 3 Wire lead set with probes and croc clips
- Padded carrying and waist strap
- Switched probe
- 6 x Batteries: AA LR6
- Hard carry case















# TRUE RMS MULTIFUNCTION TESTER - MFT 1741

#### 2315-1076

Enhanced non-trip loop impedance measurement technology

- Built-in confidence meter
- Variable testing of RCD types: AC, A, S, Type B [DC], plus programmable and 3 phase RCDs
- Ramp test and auto RCD test
- EN 61010 CAT IV safety rating
- 2 and 3 Pole earth spike testing
- Insulation testing at 100V, 250V, 500V and 1 kV
- Continuity and resistance: 15 mA or 200 mA tests
- Internal memory and Bluetooth® communications
- Simple colour-coded test selection
- Adjustable buzzer threshold
- True RMS system voltage and frequency measurement
- IP54

#### INCLUDES:

- 3 Wire lead set with probes and croc clips
- Switched probe
- Mains plug test lead
- AC Battery charger
- Neck strap
- 6 x NiMH Rechargeable batteries
- Calibration certificate Soft pouch
- **OVER 300 BRANDS**







# **GAS ENGINEER ELECTRICAL SAFETY KIT**

#### 2464-6894

- All the tools needed to comply with TB118
- Earth loop impedance checking without tripping RCDs and RCBOs
- Polarity checker for socket and fused connection unit testing
- LED Voltage indicator: 50, 100, 200 and 400V AC / DC
- Proving unit safely proves the operation of the voltage indicator
- Range of locking devices to enable safe isolation procedures
- Warranty: 2 Years

#### KIT CONTENTS:

- Earth loop and polarity checker
- Proving unit
- Voltage indicator
- 4 x Locking devices
- Red safety padlock [1 key]
- 3 Wire test lead with probes and croc clips
- Warning tag
- Marker pen
- 3 x Soft carry cases



# **PAT TESTER KIT**

- Class 1, 2 and extension lead tests
- IEC lead test
- 200 mA Earth continuity
- 500V Insulation resistance
- 110V Compatible
- Clear pass or fail indication
- Battery powered

#### KIT CONTENTS:

- PAT Tester check box
- 100V 13A Plug adaptor
- Set of pass and fail labels
- Log book
- Ethos work bag
- 6 x Batteries: AA



Auto power Off



# NON-CONTACT VOLTAGE DETECTOR

#### 2148-9268

- 12-1,000V AC Detection
- Green / red indicators
- Visual bar graph indicator
- Audible indication
- Auto low / medium / high sensitivity

#### INCLUDES:

2 x Batteries: AAA





ΕΤΗΩ





# **LABELLING MACHINE KIT**

#### 2464-8223

- Prints hard-wearing labels up to 24 mm wide
- Efficient performance prints up to 30 mm per second
- Wide choice of industry templates and symbols
- QWERTY style keyboard and large backlit LCD display
- Designed specifically for electricians, telecom and security installers
- Perfect for printing durable labels to ensure compliance with wiring regulations
- Simple data transfer via USB or wireless connection
- Create labels on your smart device using the cable label app

#### KIT CONTENTS:

- 4 x Tapes: TZE-241, TZE-251, TZE-261 and TZE-FX231
- USB cable
- Rechargeable Li-Ion battery

ΕΤΗΩS

Test Instruments

- Wrist strap carry case
- Carry case



# **LCD INSPECTION CAMERA** - COLOUR SCREEN

#### 2148-9292

- Allows visual inspection in hard to reach areas
- LED lights in camera head
- 880 mm Tube length, 6,5 mm tube diameter
- 9.8 mm Diameter lens
- Zoom in, zoom out function
- Powered by 4 x 1.5 AA batteries [not included]
- IP67

#### INCLUDES:

- Hook, magnet and mirror accessories
- Hard carry case





# **VOLTAGE, CONTINUITY AND CURRENT TESTER**

#### 1014-9289

- Easy to use select volts, ohms or current and instrument does the rest
- Voltage: 0-1,000V AC/DC
- The Open jaw current technology lets you check current up to 100A
- Automatically measures volts AC and DC with precise digital resolution
- Displays resistance up to 1,000  $\Omega$
- Continuity beeper

- 4 mm Detachable probes [will accept optional accessories such as clips]
- 2 x Batteries: AA



brother





<del>()T.I.5.</del>

# **VOLTAGE AND CONTINUITY TESTER**

#### 2229-9124

- Digital display with LED LCD and audible indication
- Voltage: 0-1,000V AC / 1,200V DC
- Resistance: 0-2,000 Ω

#### INCLUDES:

- 2 x Batteries: AAA
- Carry case

- Built-in proving test
- Built-in LED torch light
- BS EN 61243-3















# **PROVING UNIT**

# ETHΩS Test Instruments

#### 2148-9277

- Intelligent voltage ramp testing for voltage indicators and multimeters
- 5 Step nominal output voltages: 50 690V
- Non-contact voltage detector proving function
- Automatic on / off function
- Rugged heavy-duty protective surround

INCLUDES:

6 x Batteries: AA





# ONLY £**64:25**

# NETWORK CABLE TESTER

#### 1578-8371

- Tests UTP, STP and coaxial cable
- Checks continuity and configuration of wiring with RJ45 plugs
- Cable length range: 1 300 m
- Tests for open circuits, shorts, mis-wires, reversal and split pairs, shield detection and shield integrity
- Low battery indication

#### **INCLUDES:**

2 x Batteries: 1.5V AAA







<del>()T.I.S.</del>

# 3 WIRE TEST LEAD SET

#### 1354-2055

· For use with most multifunction testers



#### SEL CONTENTS

- 3 x Test leads with4 mm plugs: Red, blue and green
- 3 x Crocodile clips
- 3 x Probes
- 2 x Extended probes: Red and blue

## Megger.

# 50 M R2 TEST LEAD

#### 2037-5647

 Enables R2 testing of CPC between distribution boards and sockets

Test leads with 4 mm connectors







# **VDE 5 PCE ERGO™ SLIM BLADE SCREWDRIVER SE**

# BAHCO

# VDE 7 PCE ERGO™ **SCREWDRIVER SE**

#### 2292-6385

- Made from high performance alloy steel
- 30% Slimmer blades for greater accessibility





VDE certified



#### 0103-1074

- Made from high performance alloy steel
- Three component handle for maximum user comfort with colour coded symbol on handle end
- 1,000V Rated
- VDE certified

## SET CONTENTS:

- Pozi: PZO, PZ2 and PZ3
- Slotted: SL2.5, SL3, SL4 and SL5.5 mm



# **VDE 5 PCE SCREWDRIVER SET**

#### 2173-1965

- Slim tip design for easier access to circuit breakers and other tight spaces
- Ergonomic handle for torque and comfort
- Blade type and orientation indicator
- 1.000V Rated
- VDE certified

#### SET CONTENTS:

- Pozi: PZ1 and PZ2
- Slotted: SL2.5, SL4 and SL5.5 mm



## **VDE INSULATED SCREWDRIVER**

- Slim tip design for easier access to circuit breakers and other tight spaces
- Ergonomic handle for torque and comfort
- Blade type and orientation indicator
- 1.000V Rated
- VDE certified

CODE	DESCRIPTION	PRICE
2173-2262	SL2,5 mm	£6.25
2173-2265	SL3 mm	£7.25
2173-2268	SL3.5 mm	£8.25
2173-2271	SL4 mm	£6.50
2173-2274	SL5.5 mm	£9.25











# **CABLE CUTTERS**

- Drop forged high alloy steel construction
- Razor sharp induction hardened cutting edges Suitable for stripping and cutting copper and aluminium wire
- Max cutting capacity: 160 mm: 9 mm[Ø] 210 mm: 11 mm[Ø]

CODE PRICE 1424-6659 160 mm £17.95

210 mm

ONLY

# 160 MM VDE DIAGONAL CUTTERS

#### 1711-8046

- Narrow head style for use in confined areas
- Suitable for precision cutting of up to 4 mm<sup>2</sup> soft and hard wire
- Forged vanadium electric steel
- Multistage oil hardened
- Cutting edges induction hardened to 62 HRC
- Insulated handles with multicomponent grips
- 1,000V Rated
- VDE certified



# 160 MM VDE COMBICUTTER1™

#### 0043-6897

0018-6904

Pattress screw shear for damage free cutting of 3.5 mm pattress screws

£17.95

- Drop forged, chrome vanadium steel for strength and durability
- Integral thumb guard
- 1.000V Rated
- VDE certified



## 160 MM VDE COMBICUTTER2™



#### 0305-8258

- Wire stripping notches for damage free stripping of 1.5 and 2.5 mm<sup>2</sup> wire
- Pattress screw shear for damage free cutting of 3.5 mm pattress screws
- Drop forged chrome vanadium steel for strength and durability



# 160 MM VDE COMBICUTTER3™



- Wire stripping notches for damage free stripping of 1,5 and 2,5 mm<sup>2</sup> wire
- Wire bending anvil
- Pattress screw shear for damage free cutting of 3.5 mm pattress screws
- Drop forged chrome vanadium steel for strength and durability
- Integral thumb guard
- 1.000V Rated
- VDE certified



# 200 MM VDE INSTALLATION PLIERS

#### 1711-6744

 Multifunction pliers to grip flat and round material, for bending, deburring, cutting cable, stripping and crimping [ferrules]

- Stripping holes for conductors: 0.75 1.5 mm² and 2.5 mm²
- Crimp die for wire end ferrules: 0.5 2.5 mm²
- Cable shears with precision cutting edges for copper and aluminium cables up to 5 x 2,5 mm² / 15 mm[Ø]
- 1,000V Rated
- VDE certified



# 250 MM SELF-ADJUSTING WATERPUMP PLIERS

# F4P

#### 2056-6219

- Automatically adjusts to required size
- Chrome vanadium construction
- PVC dipped handles for maximum comfort and gripping power



# 9 PCE HEX KEY BALL END SET

# ВАНСО

#### 0061-2748

- Off-set hexagon key set
- Long arm and ball end for improved angle accessibility



#### **SET CONTENTS:**

- Hex: 1.5, 2, 2.5, 3, 4, 5, 6, 8 and 10 mm
- Plastic holder



# 3 PCE REVERSIBLE RATCHET SPANNER SET

# BAHCO

#### 2152-3225

- High performance alloy steel with chrome plated matt finish
- 4 Sizes in 1 spanner
- 72 Teeth / 5° action
- 12 Point Dynamic Drive Profile™



#### SET CONTENTS:

- Spanners 8-11 mm [8, 9, 10 and 11 mm]
- Spanners 12-15 mm [12, 13, 14 and 15 mm]
- Spanners 16-19 mm [16, 17, 18 and 19 mm]
- Carrying pouch with belt loop



# **FOLDING JAB SAW**

- Comfortable, non-slip grip handle
- Blade folds into the handle for added safety and to prevent damage to tool bags
- Lanyard hole for tethering
- Locking mechanism secures the blade open at 125° for working in hard to reach areas
- Blade length: 132 mm
- Teeth per inch: 8













F4P

# 180 PCE ESSENTIAL FUSE KIT

#### 2448-9436

- Quick acting and time lag fuses
- Glass fuse dimensions: 5 mm[Ø] x 20 mm[L]
- Plug top fuses comply with BS 1362

#### KIT CONTENTS:

- 30 x Fuses for standard 13A plugs: 3A, 5A and 13A
- 60 x Fast acting glass fuses [5 mm x 20 mm]: 500 mA, 1A, 2A, 2,5A, 3,15A and 5A
- 90 x Time lag glass fuses [5 mm x 20 mm]: 1A, 1.25A, 1,6A, 2A, 2,5A, 3,15A, 5A, 6,3A and 10A



31 PCE BIT SET

2349-4378 High performance

alloy steel



BAHCO

# **MULTIFUNCTIONAL**

#### 1711-6066

- Multifunctional key for use in engineering, heating, gas and water supply shut-off systems
- Weight optimised zinc die-cast design
- Unique key suitable for use on lamp posts
- Reversible bit: SL7 mm and PH2
- 2 x Four-Way spider keys

#### INCLUDES:

- Square sockets: 5, 6 7, 8 9, and 10 11 mm
- Triangular sockets: 7 8, 9 10 and 11 - 12 mm
- T key: 3 5 mm
- Square key: 6 9 mm
- Radiator key: 6 mm



#### SET CONTENTS:

- Phillips: PH1, 3 x PH2, PH3 and 2 x PH2G
- Pozi: PZ1. 3 x PZ2 and PZ3
- Slotted: SL4.5 and SL5.5 mm
- Hex: H3. H4. H5 and H6
- Torx: T10. 3 x T15. 3 x T20. 2 x T25. 1 x T27 and T30
- ¼" Hex x ¼" square adaptor
- ¼" Quick release adaptor
- Storage case



# **25 PCE METRIC SOCKET SET**



#### 2152-3186

 High performance alloy steel with matt finish

#### SET CONTENTS:

- Phillips: 2 x PH2
- Hex: H5 and H6
- ½" Hex sockets: 4, 4,5, 5, 5,5, 6, 7, 8, 9, 10, 11, 12 and 13 mm
- Torx: T10, T15, T20, T25, T30 and T40
- ¼" Bit holder with locking spring
- ¼" Compact ratchet handle: Tooth 6° action
- 100 mm wobble extension bar
- Plastic case



# ONLY

# IMPACT 90° SHOCKWAVE™ RIGHT ANGLE ATTACHMENT



 Magnetic 90° screwdriving attachment

■ 25 mm Screwdriving bits


#### **INCLUDES:**

- Phillips: PH2
- Pozi: PZ1. 2 x PZ2 and PZ3
- Torx: TX10, TX15, TX20, TX25 and TX30









# 10 PCE RED HEX METAL DRILL BIT SET

#### 2262-0940

- HSS ground and TIN coated
- 135° Tip angle reduces tip stress
- Impact rated drill bits with ¼" hex shank, optimised for impact drivers

#### **SET CONTENTS:**

- Drill bits: 3, 3.5, 4, 4.5, 5, 6, 7, 8, 9 and 10 mm
- Plastic storage cassette





ONLY £19.95 £vat

# 19 PCE THUNDERWEB™ METAL DRILL BIT SET

#### 1120-7041

- Incorporates a conical shaped web which gets thicker towards the back of the drill bit
- Flute form ejects hot chips increasing the lifetime of the bit
- Flatter twist angle creates smaller chippings, ideal for drilling harder steel
- Split point: 135°



#### SET CONTENTS:

- Drill bits: 1, 1,5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm
- Storage case



# 49 PCE SHOCKWAVE™ DRILL SCREWDRIVER BIT SET



#### 2610-6022

- Designed for use with impact drivers
- Reduces stress at the tip resulting in less tip breakages providing up to 30 x longer life

#### SET CONTENTS:

- Phillips: 3 x PH1, 3 x PH2 and 1 x PH3
- Pozi: 2 x PZ1, 6 x PZ2 and 1 x PZ3
- Slotted: SL4.5, SL5.5 and SL6.5 mm
- Hex: H3, 2 x H4,
   H5 and 1 x H6 mm
- Torx: 4 x T10, T15, 5 x T20, T25, 4 x T30 and 1 x T40
- Magnetic bit holder
- Storage case



ONLY £24.75









armes

WOOD

# SHEET STEEL HOLESAWS

- ACCELER H 1/4
- Acceler8% design 37% faster than a standard holesaw
- Cutting depth: 1.6 mm
- Teeth per inch: 8
- 8% Cobalt for extra durability
- Ejection spring and stop collar
- Impact rated shank for use in impact drivers



CODE	SIZE	PRICE
2042-4109	20 mm	£14.95
2042-4112	25 mm	£15.95
2042-9935	32 mm	£17.95
2364-9670	40 mm	£19.95



F4P

# **3 PCE STUBBY WOODBEAVER SET**

#### 2042-4121

- Four deep auger style flutes for faster drilling
- Provides extreme drilling comfort and balance
- Ultra clean breakthrough
- Twister impact rated for use in impact drivers
- 120 mm Stubby length is ideal for tight spaces and inter-joist drilling

#### SET CONTENTS:

• 16, 20 and 25 mm



# **5 PCE MULTITOOL SAW BLADE SET**

#### 2508-7072

 Saws wood, plastic, sheet metal, copper or aluminium pipes and profiles

#### **SET CONTENTS:**

- 28 mm Bi-metal standard flush cut universal saw blade
- 32 mm Bi-metal precision flush cut wood saw blade
- 34 mm CRV standard flush cut wood saw blade
- 68 mm CRV standard flush cut wood saw blade
- 87 mm CRV radial saw blade



# **SPRAY ON ACCIDENT**



- Creates a protective, transparent and flexible waterproof film over a cut or graze
- Sanitises the area and provides a barrier against the ingress of airborne and waterborne infections
- Simply wash off with warm soapy water
- Up to 65 applications per can
- Protects against Weils disease







# 13A 4 GANG CASSETTE CABLE REELS



5 YEAR

F4P

- **230V**
- Integrated power switch

 LED power indicator and safety thermal cut-out

Easy wind handle and rear grip



FROM



CODE	LENGTH	PRICE
2369-4016	10 m	£13.50
2369-4010	15 m	£17.95



# 40 M 13A 4 GANG OPEN



#### 2369-4007

- **230V**
- Integrated power switch
- LED power and indicator and safety thermal cut-out
- Easy wind handle and rear grip
- Built-in cable guide












# **CONDUIT PIPE BENDER**



#### 0603-2098

- Portable machine for bending conduit sizes: 20, 25 and 32 mm
- Adjustable former for accurate bends every time
- Can produce complex multiple bends quickly, without the need for time consuming checking and offering up





# PORTABLE CABLE **CARRIER & DISPENSER**

- Lightweight, robust steel construction
- Folds flat for easy storage and sets up in seconds
- Holds multiple reels
- Complete with five cable clips and rubber stoppers
- Max carrying capacity: 45 kg











# CABLE ROD KIT - DELUXE

#### 0337-5445

An excellent range of functionality - 10 m [32 ft] of length,
 4 choices of rod flexibility and 8 innovative attachments

#### KIT CONTENTS:

- 2 x 6 mm Black Adoxim 5® 1 m rods
- 6 x 5 mm Red Adoxim 5® 1 m rods
- 2 x 4 mm Yellow Adoxim 5®1 m rods
- Flexi lead
- Domed bullet
- Flat bullet

- Gender changer
- Super magnet
- Super beam
- Tuff hook
- Mini eye and ring
- Tough carry tube



SUPER 200

# **CABLE ROD KIT - MEGA**

#### 0432-9283

• The 'must have' kit - 16 m [52 ft] of length, 5 choices of rod flexibility and 15 innovative attachments

#### KIT CONTENTS:

- 3 x 6 mm Black Adoxim 5®1 m rods
- 5 mm Red Adoxim 5® swivel 1 m rod
- 6 x 5 mm Red Adoxim 5®1 m rods
- 3 x 4 mm Yellow Adoxim 5®1 m rods
- 4 mm Yellow Adoxim 5® swivel 1 m rod
- 5 mm Nylon 1 m rod
- 5 mm Glo Adoxim 5® swivel 1 m rod
- Domed bullet
- Flat bullet
- Gender changer
- Super magnet
- Super beam
- Chain

- Mini eye and ring
- Tuff hook
- 6 10 mm Super grip
- 11 15 mm Super grip
- Shape-it flexi lead
- Flexi lead

**BIG WIPES** 



- Glow claw
- Glow domed eye
- Glow mini hook
- Tough carry tube





**BIG WIPES** 

# **HEAVY-DUTY BIG WIPES**

#### 1462-6369

- 4 x Power cleansers and skin conditioners
- Dual sided scrub and clean fabric
- Impregnated, firm grip, no slip textile
- Antibacterial action
- Water-based, preservative free formula
- Biodegradable formula
- Easy grip cylinder and unique lid
- Pack of 80



ONLY 9.95 £9+VAT

# MULTIPURPOSE BIG WIPES

#### 0165-6058

- 4 x Power cleansers and skin conditioners
- Cutting edge power fabric technology, three layered, non woven textile with a quilted, textured surface
- Pre-moistened towel, impregnated with specialist power formula
- Antibacterial action
- Water-based, preservative free formula
- Biodegradable formula
- Easy grip cylinder and unique lid
- Pack of 80



ONLY **7.95** £ +VAT



# TEST EQUIPMENT CASE



#### **€**EMAI

#### 2177-9584

- No. of pockets: 27
- A bright red inner for finding tools easily
- Adjustable padded compartments
- Carrying handle and padded shoulder strap
- Lockable zip system for extra security
- Dimensions: 350 mm[H] x 240 mm[W] x 180 mm[D]



ONLY £36:95

# **TSTAK ORGANISER**

#### 2606-9104

- 7.8Ltr Volume capacity for small parts and accessories
- Transparent polycarbonate lid allowing the user to see contents easily
- Heavy-duty ergonomic handle for easy and comfortable carrying
- Anti-rust metal latches for durability
- Side latches allowing connectivity to other TSTAK cases
- IP54



#### INCLUDES:

- 2 x Large compartments
- 6 x Medium compartments
- 2 x Long compartments



**DEWALT** 

# 3 PCE PACKOUT™ STORAGE SET

#### 2369-6758

#### PACKOUT™ ROLLING TROLLEY TOOLBOX

- Weight capacity: 113 kg [max]
- 228 mm[Ø] All-terrain wheels
- Industrial grade extension handle
- Metal reinforced locking point
- Interior organiser tray
- IP65
- Dimensions: 560 mm[L] x 410 mm[W] x 480 mm[D]

#### PACKOUT™ LARGE TOOLBOX

- Metal reinforced top handle for easier carrying
- Metal reinforced locking point
- Impact resistant
- Interior organiser trays
- IP65
- Dimensions: 560 mm[L] x 410 mm[W] x 290 mm[D]

#### PACKOUT™ TOOLBOX

- Metal reinforced locking point
- Impact resistant
- Interior organiser trays
- IP65
- Dimensions: 560 mm[L] x 410 mm[W] x 170 mm[D]











# TRADESMAN PRO™ ORGANISER / ROLLING TOOL BAG

# ESTA SIST

#### 1993-9012

- No. of pockets: 24
- Rugged 6" wheels easily handle rough terrain
- Orange interior for easy tool visibility
- Moulded kick plate to protect from the elements
- Wide open interior easily accommodates large tools
- Reinforced metal frame stays open for easy loading / unloading





# TRADESMAN PRO™ ORGANISER BACKPACK

#### 1906-0327

- No, of pockets: 39
- Front zip up pocket for smaller parts and tools
- Taller bag and interior pockets allow storage of long screwdrivers
- Fully moulded bottom protects from the elements
- Orange interior for easy tool visibility
- 1680D Ballistic weave for durability
- Shoulder straps with extra padding and handles for easy carrying



ONLY E **89.95** E **V**AT

# **ROOF TUBE 100**

#### 1370-4358

- Lightweight and tough: 1.5 mm aluminium
- Dual end loading
- Injection moulded end cap with steel inserts prevents risk of spillage during heavy breaking
- Size: External: 115 mm[H] x 3,159 mm[L] x 138 mm[D]
- Weight: 8.25 kg

#### INCLUDES:

- 40 mm Solid brass and stainless steel padlock
- 2 x Keys
- Roof fixing mounts





ENGEX

# FIBREGLASS STEPLADDERS

- Suitable for professional trade use
- Independently tested to non-conductive 30.000V rating
- Integral tool rack
- Strengthened and deepened non-slip feet
- Static load rating: 150 kg [max]
- EN 131





ADDER CLAMPS

# FROM **57.95**

ENGEX

CODE	TREADS	CLOSED HEIGHT	OPEN HEIGHT	WEIGHT	PRICE
0413-1247	4	1.17 m	1,1 m	6.25 kg	£57.95
0413-1253	5	1,47 m	1,3 m	7.55 kg	£65.50
0413-1259	6	1.77 m	1.6 m	8.50 kg	£71.95
0413-1262	8	2.37 m	2.2 m	11.5 kg	£94.95
0554-0167	10	2,87 m	2,7 m	15,05 kg	£124.75

# 3 PART COMBINATION LADDER

#### 0691-6276

- 4 Adjustable positions
- Fully extended: 3,37 m
- 'A' frame height: 1.59 2.39 m
- 'A' frame width: 1.06 m
- Extra wide stability bar with non-slip feet
- Static load rating: 150 kg [max]
- EN 131



# LADDER SAFETY TAG KIT

#### 2150-1061

 Helps workers to identify if ladders are fit for purpose before use

 Can be used as part of a daily inspection and monitoring procedure to record and manage ladder inspections

• Size: 181 mm[L] x 50 mm[W]

# y if ladders e use a daily ng I manage m[W]

# SCAFFOLD SAFETY TAG KIT



ENGEX

#### 2150-1094

Helps to prevent accidents on site

 With current legislation requiring regular inspections, the tags enable scaffolders and construction site managers to easily document and monitor records in one place

Size: 180 mm[L] x 75 mm[W]

#### KIT CONTENTS:

- Claw tag holder
- 2 x Inserts
- Permanent marker pen





- Asset tag holder
- 2 x Inserts
- Permanent marker pen












# **SELF-FUSING RESCUE TAPE**





- Pressure resistant: Up to 8 bar
- Insulation rating: 8,000V
- Waterproof airtight and can be applied underwater
- Operating temperature: -50 to 260°C
- Length: 3,66 m
- Width: 25.4 mm



CODE	COLOUR	
1399-7410	Black	
1399-7413	Blue	
1399-7416	Clear	
1399-7425	Red	
1399-7428	White	
1399-7431	Yellow	



# **HEAVY-DUTY RUBBLE SACKS**



#### 2081-1088

- Double strength, heavy-duty rubble sacks
- Suitable for rubble, bricks, plaster, sand and gravel
- Size: 800 mm x 525 mm
- Pack of 6





# **DUST SHEET**



- 100% Absorbent cotton twill dust sheets
- Size: 3.6 m x 2.7 m





# PORTABLE

- 100% and 50% switchable output via On / Off button
- Runtime: 3 hrs [at full output]
- Colour temperature: Davlight 6000K
- Weight: 0.92 kg
- IP65
- Guarantee: 2 Years



TAMCO

#### INCLUDES:

- 5V USB Charging cable and charger
- Li-Ion rechargeable battery

CODE	WATTAGE	LUMENS	PRICE
2467-2574	10W	600 lm	£24.95
2467-2577	20W	1300 lm	£34.95



# **LED INSPECTION LIGHT**

#### TI LINILITE

#### 1897-8118

- White Samsung SMD LEDs
- Lumen output: 220 lm
- Magnetic pocket clip and base
- Beam range: 10 m
- Run time: 3-6 hrs
- Die-cast aluminium housing
- IP54 rated: Water-resistant

Guarantee: 1 Year



#### INCLUDES:

- Magnetic clip and base
- 3 x Batteries: AAA

TUNILITE.

# **HELMET HEADLIGHT**

## 2235-9523

- CREE LED
- Lumen output: 200 lm
- Helmet-mountable
- 7 Light settings
- Beam range: 90 m
- Run time: 5 hrs
- 45° Rotational head
- Adjustable non-slip silicone lined head strap
- IPX6 Water resistant

#### **INCLUDES:**

- 3M<sup>TM</sup> VHB<sup>TM</sup> Adhesive helmet mount
- 3 x Batteries: AAA



# 22 M GLS LED FESTOON KIT

#### 1279-5172

- A great solution for lighting site walkways
- Fully insulated
- Light spread: 240°

#### KIT CONTENTS:

- 22 m Hanging light chain
- 10 x Fittings and guards
- 10 x 10W LED lamps [Daylight 6500K]
- 16A 110V 2P+E Plug
















- Abrasion resistant top loading ballistic cordura knee pockets with two knee pad positions and knee ventilation
- Hammer loop, tool loops, velcro tool strap at waist and D-ring
- Cargo, rule, mobile phone and secure zipped pockets

**PRO FLEX HOLSTER TROUSERS** 

- Triple stitched seams for long lasting durability
- 81% Polyester, 19% cotton, 250 gsm

SIZE

W28", L30"

W30", L30" 2576-2753 W32", L30" 2576-2756

W34", L30" 2576-2759 W36", L30" 2576-2762

W38". L30" 2576-2765 W30", L32" 2576-2768 W32", L32' 2576-2771

W34". L32"

W36", L32'

W38", L32"

W40". L32' 2576-2783 W32", L34" 2576-2786

W34", L34"

W36". L34"

W38", L34"

			+
*tools not inc	cluded	ONLY £39	. <b>95</b> +vat



# **PRO BASE LAYER** TOP



- 4 Way stretch thermal engineered fabric
- Skin tight fit
- Moisture wicking
- Abrasion resistant
- Retains heat to help regulate body temperature
- 92% Polvester. 8% elastane



CODE	SIZE
1488-1474	М
1488-1477	L
1488-1480	XL
1488-1483	XXL



# **PRO BASE LAYER** BOTTOMS



- 4 Way stretch thermal engineered fabric
- Skin tight fit
- Moisture wicking
- Abrasion resistant
- Elasticated waistband for comfort
- Retains heat to help regulate body temperature
- 92% Polyester, 8% elastane



CODE	SIZE
1488-1462	М
1488-1465	L
1488-1468	XL
1488-1471	XXI





CODE

2576-2747

2576-2750

2576-2774

2576-2777

2576-2780

2576-2789

# **WORKER SOFTSHELL JACKET**

- Water resistant fabric with fleece lining to help retain body heat for added comfort
- Secure zipped pockets
- Adjustable hood and high collar to protect against the elements
- Elasticated cuffs and hem for a secure and comfortable fit
- Ideal for layering in cold conditions
- 100% Polyester, 270 gsm

CODE	SIZE
2576-2795	S
2576-2798	М
2576-2801	L
2576-2804	XL
2576-2807	XXL



## **TRADE HOODIE**

# scruits

- Adjustable hood with high neck for added warmth
- Abrasion resistant panels in key areas for long lasting durability - cut off and forearm
- 2 x Secure zipped pockets
- Ribbed hem and cuffs for a secure fit
- Ideal for layering
- 65% Polyester 35% cotton brushed back fleece, 320 gsm



CODE	SIZE
2393-0899	S
2393-0902	М
2393-0905	L
2393-0908	XL
2393-0911	XXL



# TRADE BODY WARMER

- Lightweight and slim fitting
- Hard-wearing nylon fabric for long lasting durability
- Secure zipped pockets with 3 x internal pockets for added storage
- High collar and dipped back hem
- Ideal for layering
- 100% Nylon body, 96% polyester 4% elastane softshell panels


CODE	SIZE
2576-2810	S
2576-2813	M
2576-2816	L
2576-2819	XL
2576-2822	XXL



ONLY £24.95

TORNADO

# **OLBA GLOVES**



 High abrasion protection makes them perfect for handling tools in the electrical and automotive industries

 Anti-bacterial feature reduces skin irritation

- Cut resistance: Level 1
- EN 388

CODE	SIZE
2150-2300	8
2150-2303	9
2150-2306	10



ONLY 1.97 £1+VAT













## **IN-STORE**

Open 6 days Monday-Friday 7:30am - 5:30pm Saturday 8:30am - 12:00pm



#### ONLINE

Choose from over 35,000 products in stock at cef.co.uk



## **CATALOGUE**

Find your 8 digit order code - order in-store, online or over the phone



## **CALL US**

We have over 390 stores nationwide so there's always a store near you

# EASY WAYS

Whether online or in-store you can



CASH



CARD tore and online



**PAYPAL** 



BANK TRANSFER

## Open a trade account today [in-store or online] and benefit from:

- Credit facilities [subject to credit checks]Online account management
- Monthly statements
- VAT approved itemised invoices
- View previous orders







391 STORES | CEF.CO.UK | TRADE CATALOGUE