















EAN:		Size:
Part number:	05006148001	Weight:
Article number:	160 i/165 i/7 Rack	Country of o
		Customs tar

Size:	280x205x55 mm
Weight:	666 g
Country of origin:	CZ
Customs tariff number:	82054000

- Insulated VDE blades for secure work at 1,000 volts
- · Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Take it easy tool finder: colour coding according to profile and size
- · Hexagonal anti-roll feature against rolling away
- · Lasertip tips for more secure fit in the screw head

7-piece screwdriver set with individually tested, insulated screwdrivers as per IEC 60900. Individual testing in a water bath at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts. Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Partially Lasertip: the tip literally bites itself into the screw head and prevents any slipping. "Take it easy" Tool Finder: colour coding according to profile and size. The anti-roll feature prevents any bothersome rolling away at the workplace. Including voltage tester and 1 rack for storage.



Set contents:



165 i PZ VDE 05006162001 1 x PZ 05006164001 1 x PZ

=)1 1 x PZ 1 x 80 mm)1 1 x PZ 2 x 100 mm



160 i VDE

 05006100001¹⁾
 1 x 0,4 x 2,5 x 80 mm

 05006110001
 1 x 0,6 x 3,5 x 100 mm

 05006115001
 1 x 0,8 x 4 x 100 mm

 05006120001
 1 x 1 x 5,5 x 125 mm

 05006120001
 1 x 1 x 5,5 x 125 mm

 1) without Lasertip
 1 x 1 x 5,5 x 125 mm



247 05005655001¹⁾ 1 x 0,5 x 3 x 70 mm 1) Product not available in the USA and Canada.

Individually tested



Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.



Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.

Impact strength test



Impact strength tested at -40° C, guaranteeing safety even under extreme conditions.

Lasertip



A precisely-focused laser creates a sharp-edged surface structure. This laser treatment results in an edge hardness of up to 1000 HV 0.3. Wera Lasertip "bites" itself into the screw head and prevents any slips out of the recess. It is available for screwdrivers for slotted, Phillips and Pozidriv screws.



Reduced contact pressure

Kraftform

Non-roll feature

```
"Take it easy" Tool Finder
```



Wera Lasertip reduces the contact pressure required and enhances force transfer – meaning less screwdriving effort is required. Screwdriving becomes safer and easier.



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.



All Kraftform screwdrivers have a non-roll feature at the lower end of the handle. The hexagonal design prevents any annoying rolling away of the screwdriver at the workplace.



Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.