



<b>EAN:</b>	4013288214638	<b>Size:</b>	210x132x82 mm
<b>Part number:</b>	05057484001	<b>Weight:</b>	803 g
<b>Article number:</b>	Kraftform Kompakt Turbo i 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000










- The construction of the Krafform Turbo allows a quadruplication of the speed when manually screwdriving, especially with metric threads - purely mechanically (without battery)
- Activation and deactivation of the turbo function by a simple push of a button
- The fixable universal gear allows powerful screwdriving and easy fine adjustments
- Robust, maintenance-free gear made of steel (maximum torque 14 Nm)
- Individually tested tool as per IEC 60900 at 10,000 V for safe working at up to 1,000 volts

Many users would like to be able to carry out screwdriving processes faster without compromise. With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver. A part time universal gear is the solution: integrated in the handle of the screwdriver, it significantly increases the working speed, especially with metric threads. The Kraffform Turbo accelerates the screwdriving in a purely mechanical way. The turbo function can either be switched on or off by pressing a button. Turning it off is recommended at increasing torque moments, or for fine adjustments and final tightening or loosening of a high torque screw. The robust steel design is maintenance-free and ensures a long product life. The Kraffform Turbo hand holder 827 T i and the individually tested (10,000v) Wera VDE interchangeable blades in the VDE version guarantee fast and safe working even under tension.




## Kraftform Kompakt Turbo

### Set contents:

	<b>827 T i Kraftform Turbo</b> 05057481001 1 x 9 x 125 mm		<b>817 VDE</b> 05003990001 1 x 9 x 102 mm
	<b>KK 62 iS</b> 05003413001 1 x PH 1 x 154 mm 05003414001 1 x PH 2 x 154 mm		<b>KK 65 iS PZ</b> 05003455001 1 x PZ 1 x 154 mm 05003456001 1 x PZ 2 x 154 mm
	<b>KK 65 iS PZ/S</b> 05003447001 1 x # 1 x 154 mm 05003448001 1 x # 2 x 154 mm		<b>KK 67 i TORX®</b> 05003431001 1 x TX 10 x 154 mm
	<b>KK 67 iS TORX®</b> 05003437001 1 x TX 15 x 154 mm 05003438001 1 x TX 20 x 154 mm 05003439001 1 x TX 25 x 154 mm		<b>KK 60 i</b> 05003400001 1 x 0.4 x 2.5 x 154 mm
	<b>KK 60 iS</b> 05003406001 1 x 0.6 x 3.5 x 154 mm 05003407001 1 x 0.8 x 4 x 154 mm 05003408001 1 x 1 x 5.5 x 154 mm		

### Faster screwdriving



The construction of the Kraftform Turbo allows a quadruplication of the speed when manually screwdriving, especially with metric threads – purely mechanically, without electricity!

### With and without Turbo



The Turbo function can either be switched on or off by pressing a button. For initial loosening and final tightening at increasing torque moments (or fine torque adjustment) of screws the Turbo function is disabled. For free running screws the Turbo function is enabled.

### Robust, maintenance-free gear made of steel



The robust steel design is maintenance-free and ensures a long product life.

### Web link


[https://products.wera.de/en/kraftform\\_kompakt\\_kraftform\\_kompakt\\_turbo\\_kraftform\\_kompakt\\_turbo\\_i\\_1.html](https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_turbo_kraftform_kompakt_turbo_i_1.html)

Wera - Kraftform Kompakt Turbo i 1  
05057484001 - 4013288214638

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

### Kraftform Kompakt Turbo

#### Handle/interchangeable blade system



With its 9 mm mounting, the Kraftform Turbo is suitable for all Wera Kraftform Kompakt VDE interchangeable blades. The "holder/interchangeable blade system" stands for flexible working with many screw profiles.

#### Individually tested



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

#### Kraftform



The basic idea for the prototype of the Kraftform handle – that the hand should dictate the design – has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

#### Web link

[https://products.wera.de/en/kraftform\\_kompakt\\_kraftform\\_kompakt\\_turbo\\_kraftform\\_kompakt\\_turbo\\_i\\_1.html](https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_turbo_kraftform_kompakt_turbo_i_1.html)

Wera - Kraftform Kompakt Turbo i 1  
05057484001 - 4013288214638

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)