

VDE TOOL







 EAN:
 4013288178640

 Part number:
 05135961001

 Article number:
 160 iSS/7

Size:	230x115x35
Weight:	432 g
Country of origin:	CZ
Customs tariff number:	82054000

- Kraftform screwdrivers with reduced blade diameter as well as partially with slim handle design
- Allows screwdriving even in confined situations
- Kraftform handle for fast and ergonomic screwdriving
- · Low-lying screw and spring elements can be reached and actuated
- Safe work at a voltage of 1,000 volts, individually tested

7 Wera VDE iSS screwdrivers with reduced shaft diameter as well as partially slimmer handle design to enable work in confined working situations and to allow low-lying screw and spring elements to be reached and actuated; individually tested tools as per IEC 60900; individual testing in a water bath at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts. "Take it easy" Tool Finder: colour coding according to profile and size. The anti-roll feature prevents any bothersome rolling away at the workplace.



Set contents:



**162 iSS** 05020131001 1 >

160 iSS

05020129001

05020133001

1 x PH 1 x 80 mm 1 x PH 2 x 100 mm

1 x 0,8 x 4 x 100 mm



05006440001 165 iSS PZ/S


> 05020132001 05020134001

160 iS

05006442001 1 x 1 x 5,5 x 125 mm 05006440001 1 x 0,6 x 3,5 x 100 mm

> 1 x # 1 x 80 mm 1 x # 2 x 100 mm

The super slim VDE screwdrivers



The super slim VDE screwdrivers for installation jobs in particularly confined spaces. Not only do the blades have a reduced diameter, the handles also have a very slim design.

VDE-insulated screwdriver with reduced blade diameter

Reduced blade diameter with

integrated protective insulation,

allows sunken screws and spring

elements to be accessed and

actuated, individually tested as per

IEC 60900.

Individually tested



Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts. Impact strength test



Impact strength tested at  $-40^{\circ}$ C, guaranteeing safety even under extreme conditions.

160 iSS/7 screwdriver set Kraftform Plus Series 100. With reduced blade diameter and smaller handle diameters, 7 pieces Kraftform Plus – Series 100 VDE



Multicomponent Kraftform handle

Wera produces the Kraftform handle out of several materials with different properties. Α resistant plastic is used for the core which ensures that the blade is held securely even under high strain. A softer material is used for the coloured soft zones, which provides high frictional resistance and allows the transfer of high forces - resulting in less required screwdriving effort. The red sections with their hard surfaces prevent any "sticking" of the hand to the handle, making rapid repositioning of the hand possible.

Prevents hand injuries


The outstanding design of the

Kraftform handle that fits perfectly

into the hand prevents hand

injuries such as blisters and

calluses.





Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.

## Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.